

Labs Formulary

The following lab tests are typically available at your clinic for \$0 out of pocket! Some tests may not be immediately available depending on what supplies your PMR Clinic has in stock. Lab tests NOT on this list can be sent to an outside lab and go through your normal insurance program(s). Questions about a specific lab test? Please schedule an appointment, email or call us.

| Test |
|--|
| 761318 6+Oxycodone+Cr+Scr |
| 789324 6 Drug-Bund |
| 88305 Surg Path-1st Site |
| 88305 Surg Path-2nd Site |
| 88305 Surg Path-3rd Site |
| 88305 Surg Path-4th Site |
| 88305 Surg Path-5th Site |
| ABO Grouping |
| ABO Grouping and Rho(D) Typing |
| Acute Viral Hepatitis (HAV, HBV, HCV) |
| Aerobic Bacterial Culture, General |
| Aerobic Identification and Susceptibility |
| a-Fetoprotein (AFP), Tumor Marker |
| Alanine Aminotransferase (ALT/SGPT) |
| Albumin |
| Albumin, Random Urine |
| Albumin/Creat Ratio, Random Urine |
| Albumin/Creatinine Ratio, Random Urine |
| Alkaline Phosphatase |
| Allergen Profile, Food-Basic |
| Allergen Profile, Food-Grain |
| Allergen Profile, Food-Meat |
| Allergen Profile, Food-Vegetable I |
| Allergy Profile, Food |
| Amenorrhea Profile |
| Ammonia, Plasma |
| Amylase |
| ANA by IFA, Reflex to 11-biomarker Profile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin, Jo-1, Centromere B, Sm/RNP, Ribosomal P by Multiplex Immunoassay |
| ANA by IFA, Reflex to 9-biomarker profile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin, Jo-1, Centromere B by Multiplex Immunoassay |
| ANA by IFA, Reflex to Titer and Pattern |
| Anaerobic and Aerobic Culture |
| Anaerobic Culture |
| Antibody Screen |
| Anticardiolipin Antibodies (ACA), IgA, IgG, IgM, Quantitative |
| Anticardiolipin Antibodies (ACA), IgA, Quantitative |
| Anticardiolipin Antibodies (ACA), IgG, IgM, Quantitative |
| Anticardiolipin Antibodies (ACA), IgG, Quantitative |
| Anticardiolipin Antibodies (ACA), IgM, Quantitative |
| Anti-CCP (Cyclic Citrullinated Peptide) Antibodies, IgG and IgA, ELISA |
| Anticentromere B Antibodies |
| Antichromatin Antibodies |
| Anti-DNase B (Streptococcal) Antibodies |
| Anti-dsDNA (Double-stranded) Antibodies |
| Antiextractable Nuclear Antigens |
| Anti-Jo-1 |
| Anti-Mitochondrial Ab by IFA (RDL) |
| Anti-Müllerian Hormone (AMH) (Endocrine Sciences) |
| Antinuclear Ab Profile, 11-biomarker Profile, by Multiplex Immunoassay, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin, Jo-1, Centromere B, Sm/RNP, Ribosomal P |
| Antinuclear Antibodies (ANA) |

| Test |
|--|
| Antinuclear Antibodies (ANA), by Multiplex Immunoassay, Reflex to 5-biomarker profile (ENA), dsDNA, RNP, Sm, SS-A, SS-B |
| Antinuclear Antibodies (ANA), by Multiplex Immunoassay, Reflex to 9-biomarker profile, dsDNA, RNP, Sm, SS-A, SS-B, Scl-70, Chromatin, Jo-1, Centromere B |
| Antinuclear Antibodies (ANA), Qualitative, by Multiplex Immunoassay |
| Antiphosphatidylserine IgG |
| Antiphosphatidylserine IgM |
| Antiphosphatidylserine, IgG and IgM |
| Antiribosomal P Antibodies |
| Antiscleroderma-70 Antibod |
| Anti-Smooth Muscle Antibodies by Indirect Fluorescent Antibody (IFA) (RDL) |
| Antistreptolysin O (ASO) Antibodies |
| Arsenic, Blood |
| Aspartate Aminotransferase (AST/SGOT) |
| Bacterial Vaginosis and Candida, NAA, NuSwab® |
| Bacterial Vaginosis, NAA |
| Basic Metabolic Panel (7) |
| Beta Strep Gp A Culture |
| Bilirubin, Direct |
| Bilirubin, Total |
| Bilirubin, Total/Direct, S |
| Blood Culture, Routine |
| Blood Drawing |
| B-Type Natriuretic Peptide (BNP) |
| BUN |
| BUN+Creat |
| C4+C3 |
| Ca+Creat+P+PTH Intact |
| Calcium |
| Calculi, with Photograph |
| Cancer Screening Test FOBT |
| Candida albicans and Candida glabrata, NAA |
| Carbamazepine, Serum or Plasma |
| Carbon Dioxide, Total |
| Carbon Monoxide, Whole Blood |
| Carcinoembryonic Antigen (CEA) |
| CBC/Diff Ambiguous Default |
| Chlamydia Prequot, NAA |
| Chlamydia trachomatis, Conjunctival Swab, NAA |
| Chlamydia trachomatis, NAA |
| Chlamydia trachomatis, Neisseria gonorrhoeae, and Herpes Simplex Virus (HSV) Types 1 and 2, NAA |
| Chlamydia trachomatis, Neisseria gonorrhoeae, Trichomonas vaginalis, and Herpes Simplex Virus (HSV) Types 1 and 2, NAA |
| Chlamydia trachomatis, Pharyngeal Swab, NAA |
| Chlamydia trachomatis, Rectal Swab, NAA |
| Chlamydia/GC Amplification |
| Chlamydia/Gonococcus – Client-provided Aliquot |
| Chlamydia/Gonococcus, NAA |
| Chlamydia/Gonococcus, NAA with Confirmation |
| Chlamydia/Gonococcus, NAA with Reflex to Trichomonas vaginalis, NAA |
| Chlamydia/Gonococcus, Pharyngeal Swab, NAA |
| Chlamydia/Gonococcus, Rectal Swab, NAA |
| Chlamydia/Gonococcus/Genital Mycoplasma Profile, NAA, Swab |
| Chlamydia/Gonococcus/Genital Mycoplasma Profile, NAA, Urine |
| Chlamydia/Gonococcus/Mycoplasma genitalium, NAA, Swab |
| Chlamydia/Gonococcus/Mycoplasma genitalium, NAA, Urine |
| Chlamydia/Gonococcus/Trichomonas vaginalis/Mycoplasma genitalium, NAA, Swab |
| Chlamydia/Gonococcus/Trichomonas vaginalis/Mycoplasma genitalium, NAA, Urine |
| Chloride |
| Cholesterol, Total |
| Cl+K+Na |
| Clostridioides difficile Toxins A and B, EIA |
| CMP12+8AC |
| CMP12+LP+6AC |
| CMP14+4AC |
| Comp. Metabolic Panel (12) |
| Comp. Metabolic Panel (13) |
| Complement C3 |
| Complement C4 |

| Test |
|---|
| Complement, Total (CH50) |
| Complete Blood Count (CBC) with Differential, Reflex to Peripheral Smear Review |
| Complete Blood Count (CBC) without Differential |
| Copper, Serum or Plasma |
| Cortisol |
| Cortisol, AM |
| Cortisol, AM & PM |
| Cortisol, PM |
| COVID-19 / Influenza A & B Flu Test |
| C-Reactive Protein (CRP), High Sensitivity (Cardiac Risk Assessment) |
| C-Reactive Protein (CRP), Quantitative |
| Creatine Kinase (CK), MB |
| Creatine Kinase (CK), Total |
| Creatine Kinase (CK), Total Plus Isoenzymes |
| Creatinine |
| Creatinine, Urine |
| Ct, Ng, Trich vag by NAA |
| D-Dimer |
| Dehydroepiandrosterone (DHEA) Sulfate |
| Dehydroepiandrosterone (DHEA), Serum |
| Dermatophyte Culture |
| Dihydrotestosterone (DHT) (Endocrine Sciences) |
| Drawing Fee |
| EBVCA(IgG/M) |
| Electrolyte Panel |
| Enterohemorrhagic E coli (EHEC) Shiga Toxin, EIA |
| Epstein-Barr Virus (EBV) Antibodies to Early Antigen-Diffuse [EA(D)], IgG |
| Epstein-Barr Virus (EBV) Antibodies to Viral Capsid Antigen (VCA), IgG |
| Epstein-Barr Virus (EBV) Antibodies to Viral Capsid Antigen (VCA), IgM |
| Epstein-Barr Virus (EBV) Antibody Profile |
| Epstein-Barr Virus (EBV) Nuclear Antigen Antibodies, IgG |
| Estradiol |
| Estradiol Free, Equilibrium Dialysis, with Total Estradiol, HPLC/MS-MS (Endocrine Sciences) |
| Estradiol, Sensitive, LC/MS |
| Estrogens, Total |
| Ethanol, Whole Blood |
| F001-IgE Egg White |
| F002-IgE Milk |
| F003-IgE Codfish |
| F004-IgE Wheat |
| F005-IgE Rye |
| F006-IgE Barley |
| F007-IgE Oat |
| F008-IgE Corn |
| F009-IgE Rice |
| F013-IgE Peanut |
| F014-IgE Soybean |
| F026-IgE Pork |
| F027-IgE Beef |
| F079-IgE Gluten |
| F083-IgE Chicken |
| F085-IgE Celery |
| F214-IgE Spinach |
| F215-IgE Lettuce |
| F216-IgE Cabbage |
| F244-IgE Cucumber |
| F260-IgE Broccoli |
| F291-IgE Cauliflower |
| Ferritin |
| Folate (Folic Acid), Serum |
| Follicle-Stimulating Hormone (FSH) |
| Follicle-Stimulating Hormone (FSH) and Luteinizing Hormone (LH) |
| Fungus (Mycology) Culture |
| Galectin-3 |
| Galectin-3 with B-Type Natriuretic Peptide |
| Genital Mycoplasma Profile, NAA, Swab |
| Genital Mycoplasma Profile, NAA, Urine |

| Test |
|---|
| Gestational Glucose Tolerance Screening and Diagnostic Test (Two-hour, ADA Recommendations) |
| Glomerular Filtration Rate, Estimated (eGFR) |
| Glucose |
| Glucose Tolerance (3 Sp Blood) |
| Glucose Tolerance (5 Sp Blood) |
| Glucose Tolerance Test (GTT), Two-hour (Oral WHO Protocol) |
| Glucose, Fasting and 2hr |
| Glucose, Plasma |
| GlycoMark® and Hb A1c |
| Gonococcus Prequot, NAA |
| Gram Stain |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Chlamydia/Gonococcus, NAA |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Chlamydia/Gonococcus, NAA with Reflex to Human Papillomavirus (HPV) (Aptima) When ASC-U |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Chlamydia/Gonococcus/Trichomonas and Herpes Simplex Virus (HSV) Types 1 and 2, NAA |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Chlamydia/Gonococcus/Trichomonas, NAA |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Herpes Simplex Virus (HSV) Types 1 and 2, NAA |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and High-risk HPV (Cobas®) with Reflex to HPV Genotypes 16 and 18 |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Human Papillomavirus (HPV) (Aptima) |
| Gynecologic Pap Test (Image-guided), Liquid-based Preparation and Human Papillomavirus (HPV) (Aptima) with Reflex to HPV Genotypes 16 and 18,45 |
| Gynecologic Pap Test, Liquid-based Preparation |
| Gynecologic Pap Test, Liquid-based Preparation and Chlamydia trachomatis, NAA |
| Gynecologic Pap Test, Liquid-based Preparation and Chlamydia/Gonococcus, NAA |
| Gynecologic Pap Test, Liquid-based Preparation and Chlamydia/Gonococcus/Trichomonas, NAA |
| Gynecologic Pap Test, Liquid-based Preparation with Maturation Index |
| hCG, Beta Subunit, Qual, S |
| HCV Antibody |
| HCV Antibody |
| Heavy Metals Profile I, Whole Blood |
| Helicobacter pylori Culture |
| Helicobacter pylori Stool Antigen |
| Helicobacter pylori Urea Breath Test |
| Hematocrit |
| Hemoglobin (Hb) |
| Hemoglobin (Hb) A1c |
| Hemoglobin (Hb) A1c with eAG |
| Hemoglobin (Hb) A1c with GlycoMark® Reflex |
| Hepatic Function Panel (6) |
| Hepatic Function Panel (7) |
| Hepatitis A Antibody, IgM |
| Hepatitis A Antibody, Total |
| Hepatitis A Virus (HAV) Antibody, Total with Reflex to IgM |
| Hepatitis B Core Antibody, IgM |
| Hepatitis B Core Antibody, Total |
| Hepatitis B Surface Antibody, Qualitative |
| Hepatitis B Surface Antibody, Quantitative |
| Hepatitis B Surface Antigen (HBsAg) Screen, Qualitative |
| Hepatitis Be Antibody |
| Hepatitis Be Antigen |
| Hepatitis C Virus (HCV) Antibody Cascade to Quantitative PCR and Genotyping |
| Hepatitis C Virus (HCV) Antibody with Reflex to Quantitative Real-time PCR |
| Hepatitis C Virus (HCV), Quantitative, RNA PCR (Graphical) with Reflex to Genotyping |
| Herpes Simplex Virus (HSV) Type 1-Specific Antibodies, IgG |
| Herpes Simplex Virus (HSV) Types 1 and 2, NAA |
| Herpes Simplex Virus (HSV) Types 1 and 2-Specific Antibodies, IgG |
| Herpes Simplex Virus Type 2 (HSV-2), Type-specific Antibodies, IgG |
| High-risk HPV with HPV Genotypes 16 and 18 (Cobas®) |
| HIV p24 Antigen/Antibody with Reflex to Confirmation |
| Homocyst(e)ine |
| Homocysteine |
| HPV Genotypes 16/18,45 |
| Human Chorionic Gonadotropin (hCG), β-Subunit, Qualitative |
| Human Chorionic Gonadotropin (hCG), β-Subunit, Quantitative |
| Human Papillomavirus (HPV) (Aptima) |
| Human Papillomavirus (HPV) (Aptima) with Reflex to HPV Genotypes 16 and 18,45 |

| Test |
|--|
| Human Papillomavirus (HPV) High-risk (Cobas®) with HPV 16 and 18, Rectal Source |
| IgA, Immunoglobulin A (RDL) |
| IgE Peanut Component Profi |
| IGP,rfxAptHPV AGC,ASCUrfx geno |
| IGP,rfxcobas HPV16/18 all path |
| Immunoglobulin A, Quantitative |
| Immunoglobulin A, Subclass 1 |
| Immunoglobulin A, Subclass 2 |
| Immunoglobulin A, Subclasses (1-2) |
| Immunoglobulin E, Total |
| Immunoglobulin G, Quantitative |
| Immunoglobulin M, Quantitative |
| Immunoglobulins, Quantitative, IgA, IgE, IgG, IgM |
| Insulin |
| Intrinsic Factor Blocking Antibodies |
| Iron |
| Iron and Total Iron-binding Capacity (TIBC) |
| Kidney Profile Plus Metabolic Panel (8), Basic |
| Lactic Acid Dehydrogenase (LDH) |
| LDL-P |
| Lead, Whole Blood (Adult) |
| Levetiracetam, Serum or Plasma |
| Lipase |
| Lipid Cascade with Reflex to Lipoprotein Particle Assessment by NMR (with Graph if Reflexed) |
| Lipid Cascade with Reflex to Lipoprotein Particle Assessment by NMR (without Graph) |
| Lipid Panel |
| Lipid Panel and Chol/HDL Ratio |
| Lipid Panel with LDL:HDL Ratio |
| Lipid Panel with Total Cholesterol:HDL Ratio |
| Lipid Panel without VLDL |
| Lipoprotein(a) |
| Lipoprotein-associated Phospholipase A2 Activity |
| Lithium |
| Litholink CMP14+P |
| Low-density Lipoprotein Cholesterol (Direct) |
| Lower Respiratory Culture |
| LP+Chol/HDL+LDL/HDL |
| LP+Chol/HDL+LDL/HDL+CHD Risk |
| Luteinizing Hormone (LH) |
| Lyme Antibodies, Modified 2-Tier Testing Profile, Serum/Plasma |
| Magnesium |
| Mercury, Whole Blood |
| Metabolic Panel (14), Comprehensive |
| Metabolic Panel (8), Basic |
| Mononucleosis Rapid Test |
| Mononucleosis Test, Qualitative |
| Mumps Antibodies, IgG |
| Mumps Antibodies, IgM |
| Mycoplasma genitalium, NAA, Swab |
| Mycoplasma genitalium, NAA, Urine |
| Myoglobin, Quantitative, Random Urine |
| Neisseria gonorrhoeae, NAA |
| Neisseria gonorrhoeae, Pharyngeal Swab, NAA |
| Neisseria gonorrhoeae, Rectal Swab, NAA |
| NMR LipoProfile with Lipids (with Graph) |
| NMR LipoProfile with Lipids (without Graph) |
| NMR LipoProfile with Lipids and Insulin Resistance Markers (without Graph) |
| NMR LipoProfile without Lipids (without Graph) |
| NMR LipoProfile® with Insulin Resistance Markers Without Lipids (with Graph) |
| NMR LipoProfile® with Insulin Resistance Markers Without Lipids (Without Graph) |
| NMR LipoProfile® Without Lipids (with Graph) |
| Occult Blood, Fecal, Immunoassay (ColoFIT™) |
| Ova and Parasites Examination |
| Pap IG, Tv |
| Pap Lb, Ng |
| Parathyroid Hormone (PTH) Plus Calcium |
| Parathyroid Hormone (PTH), Intact |

| Test |
|---|
| Parathyroid Hormone-related Peptide (PTH-rP) (Endocrine Sciences) |
| Partial Thromboplastin Time (PTT), Activated |
| Phenobarbital, Serum or Plasma |
| Phosphorus |
| Physician Read Pap |
| Potassium |
| Prealbumin |
| Pregnancy Test hCG Urine |
| Progesterone |
| Progesterone, Free, with Total Progesterone, LC/MS-MS (Endocrine Sciences) |
| Progesterone, LC/MS (Endocrine Sciences) |
| Prolactin |
| Prostate-specific Antigen (PSA) |
| Prostate-Specific Antigen (PSA) (Serial Monitor) |
| Prostate-specific Antigen (PSA), Complexed |
| Prostate-specific Antigen (PSA), Free:Total Ratio Reflex |
| Protein C, Functional |
| Protein S, Functional |
| Protein, Total |
| Prothrombin Time (PT) |
| Prothrombin Time (PT) (Serial Monitor) |
| Prothrombin Time (PT) and Partial Thromboplastin Time (PTT) |
| %fPSA Reflex (not orderable) |
| PSA Total+% Free |
| QuantiFERON®-TB Gold Plus |
| Renal Function Panel |
| Reticulocyte Count |
| Reverse T3 |
| Rh Typing |
| Rheumatoid Arthritis (RA) Profile |
| Rheumatoid Factor (RF) |
| RNP Antibodies |
| Rubella Antibodies, IgG |
| Salmonella/Shigella Screen |
| Sedimentation Rate, Modified Westergren |
| Sex Hormone-binding Globulin |
| Sjögren's Antibodies (Anti-SS-A/Anti-SS-B) |
| Sjogren's Anti-SS-A |
| Sjogren's Anti-SS-B |
| Smith Antibodies |
| Smith/RNP Antibodies |
| Sodium |
| Stool Culture |
| Stool Culture, Campylobacter sp. Only |
| Strep A Test Dipstick |
| Susceptibility Testing, Aerobic and Facultatively Anaerobic Organisms |
| Syphilis: RPR with Reflex to RPR Titer |
| Syphilis: RPR with Reflex to RPR Titer and Treponemal Antibodies, Traditional Screening and Diagnosis Algorithm |
| Syphilis: Treponemal Antibodies, Chemiluminescence Immunoassay |
| T3 Reverse+T3 Free |
| T3 Uptake |
| Testosterone, Free, Direct |
| Testosterone, Total, Serum |
| Testosterone, Total, Women, Children, and Hypogonadal Males, LC/MS-MS |
| Thyroglobulin Antibody |
| Thyroglobulin Antibody and Thyroglobulin, IMA or LC/MS-MS |
| Thyroglobulin Antibody and Thyroglobulin, IMA or RIA |
| Thyroid Antibodies |
| Thyroid Cascade Profile |
| Thyroid Peroxidase (TPO) Antibodies |
| Thyroid Profile |
| Thyroid Profile with TSH |
| Thyroid-Simulating Hormone (TSH) and Free T4 |
| Thyroid-stimulating Hormone (TSH) |
| Thyroxine (T4) |
| Thyroxine (T4) and Thyroid-Simulating Hormone (TSH) |
| Thyroxine (T4) Free, Direct, S |

| Test |
|---|
| Thyroxine-binding Globulin (TBG), Serum |
| Tissue Transglutaminase (tTG), IgA |
| Tissue Transglutaminase (tTG), IgG |
| Trichomonas vaginalis, NAA |
| Triiodothyronine (T3) |
| Triiodothyronine (T3), Free |
| Troponin T (Highly Sensitive) |
| Tryptase |
| TSH Rfx on Abnormal to Free T4 |
| UIBC |
| Upper Respiratory Culture, Routine |
| Uric Acid |
| Urinalysis (No Micro) |
| Urinalysis, Complete with Microscopic Examination |
| Urinalysis, Complete with Microscopic Examination with Reflex to Urine Culture, Comprehensive |
| Urinalysis, Complete with Microscopic Examination with Reflex to Urine Culture, Routine |
| Urinalysis, Routine with Microscopic Examination on Positives |
| Urine Culture, Comprehensive |
| Urine Culture, Prenatal, with Group B Streptococcus Susceptibility Reflex |
| Urine Culture, Routine |
| Urine Cytology |
| Urine Cytology (Prof) |
| Urine Cytology (Tech) |
| Urine Reagent Test Strip |
| Valproic Acid, Serum or Plasma |
| Varicella Zoster Virus (VZV) Antibodies, IgG |
| Vendor Phlebotomy Fee |
| Venipuncture |
| Viral Culture, Rapid, Influenza A and Influenza B Virus |
| Viral Culture, Rapid, Respiratory |
| Vitamin A |
| Vitamin B1, Whole Blood |
| Vitamin B12 |
| Vitamin B12 and Folates |
| Vitamin B12 Deficiency Cascade |
| Vitamin B6, Plasma |
| Vitamin D, 25-Hydroxy |
| Vitamin K1 |
| White Blood Cells (WBC), Stool |
| Yeast Only, Culture |
| γ -Glutamyl Transferase (GGT) |
| Zinc, Serum or Plasma |